



Quick
Start
Guide


Your
basis for
the future.



powered by
agricultural industry.


agrirouter overview

The universal cross-manufacturer solution for exchanging your data: Easily exchange data between machines and agricultural software applications from different providers by following this quick start guide.



?

What can the agrirouter do?



With the help of the agrirouter you can easily transfer...

- Taskdata
- Shape
- Telemetry data
- GPS position
- Documents, Images and Videos

In addition, you can exchange data between your machines and between your different agricultural software applications.

... from your agricultural software to your machines or the other way round.



Simple set-up in three steps

agrirouter overview

Page 2

What can the agrirouter do?

Page 3

1.

Create agrirouter account

Create account on my-agrirouter.com and login

Page 5

2.

Connect telemetry with agrirouter

Variant 2.1: Connect telemetry unit to agrirouter

Page 6

Variant 2.2: Connect manufacturer platform (OEM) with agrirouter

Page 8

Variant 2.3: Connect agrirouter to manufacturer platform (OEM)

Page 10

3.

Connect agricultural software with agrirouter

Connecting agricultural software to agrirouter


Page 12

Verify connection


Page 14

1.

Create agrirouter account



<https://my-agrirouter.com>





A: Register and confirm your email address.

B: Login

Variant 2.1

Connect telemetry



unit to agrirouter


1. Click on the field "Control Center".
2. Select the "+ Telemetry-Connection" button.
3. Choose your used telemetry connection.
- 4.-5. A registration code will be generated which you then need to enter in your telemetry connection (how to enter the code into the telemetry unit is different per manufacturer and model and can be found in the user manual of the third party device).



The telemetry connection is valid for 12 months. After this period or before it expires, a new code needs to be generated and entered.


Use the QR code to access the Quick Start Guide ONLINE for more information.

QUICK START GUIDE
ONLINE



Variant 2.2

Connect manufacturer



platform (OEM) with agrirouter

1. Go to the OEM platform website of your telemetry provider with the browser and log in with the corresponding credentials.
2. On the OEM platform, search for the menu item "connect agrirouter" and select it (entry in the menu may vary depending on the OEM provider).



If you are already logged in to the agrirouter, you will be redirected. If you are not yet logged in, you need to log in first.

3. You will be redirected automatically and need to confirm the connection.
4. On the platform, select the appropriate machine (telemetry connection) and connect it to the agrirouter (some OEM providers automatically add all machines during activation).


**Use the QR code to access the
Quick Start Guide ONLINE for
more information.**

**QUICK START GUIDE
ONLINE**



Variant 2.3

Connect agrirouter to



manufacturer platform (OEM)

1. Click on the field "Control Center".
2. Select the "+ Telemetry-Connection" button.
3. Choose the OEM platform of your telemetry provider.
4. Automatic redirection to the website of the respective OEM platform, from which you can continue with instruction 2.2 on page 8.



If you are not redirected to the website when selecting the OEM platform in step 3., go to section 2.2 and open the OEM platform directly.


Use the QR code to access the
Quick Start Guide ONLINE for
more information.

QUICK START GUIDE
ONLINE



3.

Connect agricultural



software with agrirouter

1. Login with the browser on the website of your software provider with the corresponding credentials.
2. On the website, search for and select the menu item "Connect agrirouter" (entry in the menu may vary depending on the software provider).



If you are already logged in to the agrirouter, you will be redirected. If you are not yet logged in, you need to log in first.

3. Now you will be automatically redirected and need to confirm the connection.


Use the QR code to access the
Quick Start Guide ONLINE for
more information.

QUICK START GUIDE
ONLINE






Easy check of the connection




<https://my-agrirouter.com>

Check 2.1 + 3.



Two endpoints appear.

Check 2.2 / 2.3 + 3.



Three endpoints appear.

After you have set up the connection, you can check the progress in the control panel of your agrirouter account. There you can check if the number of your endpoints has changed.





When checking for path 2.2 / 2.3 + 3., three end points need to have been created. If you have more than one machine (telemetry connections) connected to your agrirouter, the number of endpoints will increase.





Easy check of the connection

Check 2.1 + 3.



Two endpoints appear.

Check 2.2 / 2.3 + 3.



Three endpoints appear.

In the Control Center of the agrirouter, both the number and the type of connected endpoints for hardware and software are displayed.

my-agrirouter.com



Your
basis for
the future.



powered by
agricultural industry.